



Nominal Diameter	External Diameter	Socket Mass	Barrel Wall Thickness 'e'		Approx Mass Per Mtr. Including Socket			
			K-7	K-9	Tar Coated		Cement Lined	
DN	DE		K-7	K-9	K-7	K-9	K-7	K-9
80	98	3.7	5.0	6.0	10.91	12.84	12.61	14.54
100	118	5.1	5.0	6.0	13.29	15.66	15.39	17.76
125	144	7.0	5.0	6.0	16.43	20.00	20.50	24.27
150	170	8.2	5.0	6.0	19.55	23.07	22.75	26.27
200	222	12.4	5.0	6.3	25.89	31.95	30.09	36.15
250	274	15.8	5.3	6.8	34.11	42.80	39.31	48.00
300	326	18.6	5.6	7.2	43.10	54.19	49.40	60.49
350	378	23.8	6.0	7.7	53.72	67.43	66.02	79.73
400	429	29.3	6.3	8.1	64.28	80.80	78.28	94.80
450	480	34.0	6.6	8.6	75.71	95.27	91.41	110.97
500	532	42.8	7.0	9.0	89.14	111.98	106.64	129.48
600	635	59.3	7.7	9.9	117.71	147.78	138.61	168.63
700	738	79.1	8.4	10.8	159.62	188.24	188.92	217.54
750	790	90.0	8.7	11.3	184.06	211.30	215.36	242.60
800	842	103.0	9.1	11.7	210.11	233.70	243.51	267.10
900	945	130.0	9.8	12.6	255.14	283.69	292.74	321.29
1000	1048	162.0	10.5	13.5	304.53	338.49	346.23	380.19
1100	1152	200.0	11.2	14.4	---	---	---	---
1200	1255	238.0	11.9	15.3	---	---	---	---